

Domino V320i TTO Simplified Operation Guide


Introduction

The Domino V320i Thermal Transfer Overprinter (TTO) is an advanced labeling solution designed for flexible packaging, widely used in industries such as food, beverage, and pharmaceuticals. This guide, based on official video content, details the interface language settings, supported languages, and simplified operation instructions for the V320i TTO, helping users quickly master the device and optimize their experience.

Keywords: Domino V320i, thermal transfer overprinter, interface language, operation guide, flexible packaging, industrial printing

1. Overview of V320i TTO Interface Language Settings

- **Operation Interface:** The V320i features an intuitive touchscreen interface with multi-language support, catering to global user needs.
- **Language Settings Path:** Access the “Settings” menu, navigate to “Region,” and select the desired language.
- **Core Advantages:** Multi-language support ensures operators in different regions can use the device easily, minimizing language barriers.



2. Supported Interface Languages for V320i T10

The V320i T10 offers a wide range of language options, including but not limited to:

- Chinese (Simplified, Traditional)
- English (UK, US)
- Spanish
- Portuguese
- French
- German
- Arabic
- Russian
- Other languages (e.g., Japanese, Korean, Italian, depending on firmware version).

****Note****: Some languages may require a firmware update or confirmation with the supplier.



3. Steps to Set Interface Language

Below are the simplified steps to set the interface language on the V320i TTO:

- **Step 1***: Power on the device and access the main interface, then tap the “Settings” icon in the top-right corner.
- **Step 2***: In the “Settings” menu, locate and select the “Region” option.
- **Step 3***: Browse the language list in the “Region” menu and select the desired language (e.g., English).
- **Step 4***: Confirm the selection, and the system will automatically apply the new language, updating the interface instantly.
- **Step 5***: Verify the interface has updated; if needed, repeat the steps to adjust.

4. Simplified Operation Instructions for V320i TTO

- **Power-On and Initialization***: Connect the power, press the power button, and wait for the system to load (approximately 30 seconds).
- **Template Selection***: Choose a preset print template from the main interface or upload a new template via software (e.g., Domino QuickDesign).
- **Print Settings***: Adjust print parameters (e.g., speed, position, font size) to match the packaging material and production line.
- **Start Printing***: Confirm settings and press the “Start” button to begin printing tasks automatically.
- **Power-Off***: Save settings after printing, then power off the device.



Suzhou Cheef Technology CO.,LTD

5. Common Questions and Answers

- ****Question 1: How can I confirm if my V320i supports a specific language?***
Answer: Go to “Settings” > “Region” to check the language list; if the desired language is unavailable, contact the supplier for a firmware upgrade.
- ****Question 2: What if the interface doesn't update after switching languages?***
Answer: Try restarting the device or check if the firmware version supports the selected language.
- ****Question 3: Can the interface language be customized?***
Answer: Standard versions do not support custom languages, but contact the supplier for customization options.



6. Conclusion

The Domino V320i TTO, with its multi-language interface, intuitive operation, and high-efficiency printing, is an ideal choice for flexible packaging labeling. With simple language setup steps, users can quickly adapt to localized needs, enhancing operational efficiency.

Contact Us

For additional operation support or to purchase Domino V320i ribbons, printheads, and accessories, contact Cheef:

- Email: sales@cheef.cn
- WhatsApp: +86 181 6857 5767

****Video Reference**:** <https://youtu.be/Ss1QfQN4kQI>